ELSEVIER

Journal of Affective Disorders 55 (1999) 247–249

JOURNAL OF AFFECTIVE DISORDERS

www.elsevier.com/locate/jad

Author index

Abou-Saleh, M.T., Al Suhaili, A.R., Karim, L., Prais, V. and Hamdi, E.
Single photon emission tomography with 99m Tc-HMPAO in Arab patients with depression (55) 115
Agosti, V.
Predictors of persistent social impairment among recovered depressed outpatients (55) 215
Ahmed, M., see Morriss, R.K. (55) 143
Al Suhaili, A.R., see Abou-Saleh, M.T. (55) 115
Amsterdam, J., Garcia-España, F., Fawcett, J., Quitkin, F., Reimherr, F., Rosenbaum, J. and Beasley, C.
Fluoxetine efficacy in menopausal women with and without estrogen replacement (55) 11
Amsterdam, J.D., see Hornig, M. (55) 29
Appleby, L., see Morriss, R.K. (55) 143

Bagby, R.M., Rector, N.A., Segal, Z.V., Joffe, R.T., Levitt, A.J., Kennedy, S.H. and Levitan, R.D.
Rumination and distraction in major depression: assessing response to pharmacological treatment (55) 225
Beasley, C., see Amsterdam, J. (55) 11
Becoña, E., see Vázquez, F.L. (55) 125
Bell, B., see Steiner, M. (55) 245
Benazzi, F.
Bipolar versus unipolar psychotic outpatient depression (55) 63
Benson, P.J.
A means of measuring facial expressions and a method for predicting emotion categories in clinical disorders of affect (55) 179
Bercoff, E., see Katona, C. (55) 203
Blair-West, G.W., Cantor, C.H., Mellsop, G.W. and Eyeson-Annan, M.L.
Lifetime suicide risk in major depression: sex and age determinants (55) 171
Blais, M.A., see Jain, U. (55) 51
Blazer, D.G., see Lynch, T.R. (55) 159
Browne, G., see Steiner, M. (55) 245
Byrne, C., see Steiner, M. (55) 245

Campbell, I.T., see Morriss, R.K. (55) 143
Cannon, B., Mulroy, R., Otto, M.W., Rosenbaum, J.F., Fava, M. and Nierenberg, A.A.
Dysfunctional attitudes and poor problem solving skills predict hopelessness in major depression (55) 45
Cantor, C.H., see Blair-West, G.W. (55) 171
Chalkin, L., see Steiner, M. (55) 245
Chiu, E., see Katona, C. (55) 203
Cohen, W., see McCall, W.V. (55) 107

Day, R.K.
Psychomotor agitation: poorly defined and badly measured (55) 89
Dowling, F., see Klein, D.N. (55) 149
Dunn, E., see Steiner, M. (55) 245

Ehrensing, R.H., see Kelly, J.P. (55) 231
Eyeson-Annan, M.L., see Blair-West, G.W. (55) 171

Fava, M., see Cannon, B. (55) 45
Fawcett, J., see Amsterdam, J. (55) 11
Feighner, J.P., see Kelly, J.P. (55) 231

Gafni, A., see Steiner, M. (55) 245
Garcia-España, F., see Amsterdam, J. (55) 11
George, L.K., see Lynch, T.R. (55) 159
Goodman, D., see Klein, D.N. (55) 149
Goodman, D.B.P., see Hornig, M. (55) 29

Hakko, H., see Räsänen, P. (55) 67
Hamdi, E., see Abou-Saleh, M.T. (55) 115
Hardman, L., see Jones, R. (55) 55
Harrison, W.M., see Klein, D.N. (55) 149
Hasey, G.M., see Young, L.T. (55) 73
Hirshfeld, D.R., see Jain, U. (55) 51
Hodgins, S., Lapalme, M. and Toupin, J.
Criminal activities and substance use of patients with major affective disorders and schizophrenia: a 2-year follow-up (55) 187
Hornig, M., Amsterdam, J.D., Kamoun, M. and Goodman, D.B.P.
Autoantibody disturbances in affective disorders: a function of age and gender? (55) 29
Howland, R.H., see Klein, D.N. (55) 149
Hulstijn, W., see Sabbe, B. (55) 39

Jain, U., Blais, M.A., Otto, M.W., Hirshfeld, D.R. and Sachs, G.S.

S0165-0327(99)00164-0

Five-factor personality traits in patients with seasonal depression: treatment effects and comparisons with bipolar patients (55) 51
Joffe, R.T., see Young, L.T. (55) 73
Joffe, R.T., see Bagby, R.M. (55) 225
Johnson, C.S., see Lynch, T.R. (55) 159
Jokelainen, J., see Räsänen, P. (55) 67
Jones, R., Yates, W.R., Williams, S., Zhou, M. and Hardman, L.
Outcome for adjustment disorder with depressed mood: comparison with other mood disorders (55) 55

Kamoun, M., see Hornig, M. (55) 29
Karim, L., see Abou-Saleh, M.T. (55) 115
Kastin, A.J., see Kelly, J.P. (55) 231
Katona, C., Bercoff, E., Chiu, E., Tack, P., Versiani, M. and Woelk, H.
Reboxetine versus imipramine in the treatment of elderly patients with depressive disorders: a double-blind randomised trial (55) 203
Keller, M., see Klein, D.N. (55) 149
Kelly, J.P., Nicolau, G., Redmond, A., Leonard, B.E., Noble, J., Sverdlov, L., Molinar, R., Kastin, A.J., Ehrensing, R.H. and Feighner, J.P.
The effect of treatment with a new antidepressant, INN 00835, on platelet serotonin uptake in depressed patients (55) 231
Kennedy, J.L., see Parikh, S.V. (55) 221
Kennedy, S.H., see Bagby, R.M. (55) 225
Klein, D.N.
Depressive personality in the relatives of outpatients with dysthymic disorder and episodic major depressive disorder and normal controls (55) 19
Klein, D.N., Schatzberg, A.F., McCullough, J.P., Dowling, F., Goodman, D., Howland, R.H., Markowitz, J.C., Smith, C., Thase, M.E., Rush, A.J., LaVange, L., Harrison, W.M. and Keller, M.
Age of onset in chronic major depression: relation to demographic and clinical variables, family history, and treatment response (55) 149
Kora, K., see Yazıcı, O. (55) 133
Kraemer, J., see Steiner, M. (55) 245
Krishnan, K.R.R., see Lynch, T.R. (55) 159
Kueneman, K., see Whitney, D.K. (55) 99

Laffaye, C., see McQuaid, J.R. (55) 1
Lapalme, M., see Hodgins, S. (55) 187
LaVange, L., see Klein, D.N. (55) 149
Lawton, P., see McCall, W.V. (55) 107
Lee, S., see Wong, S.S.L. (55) 241
Leonard, B.E., see Kelly, J.P. (55) 231
Levitan, R.D., see Bagby, R.M. (55) 225
Levitt, A.J., see Bagby, R.M. (55) 225
Lynch, T.R., Mendelson, T., Robins, C.J., Krishnan, K.R.R., George, L.K., Johnson, C.S. and Blazer, D.G.
Perceived social support among depressed elderly, middle-aged, and young-adult samples: cross-sectional and longitudinal analyses (55) 159

MacQueen, G.M., see Young, L.T. (55) 73
Markowitz, J.C., see Klein, D.N. (55) 149
Marriott, M., see Young, L.T. (55) 73
McCahill, M.E., see McQuaid, J.R. (55) 1
McCall, W.V., Cohen, W., Reboussin, B. and Lawton, P.
Effects of mood and age on quality of life in depressed inpatients (55) 107
McCullough, J.P., see Klein, D.N. (55) 149
McQuaid, J.R., Stein, M.B., Laffaye, C. and McCahill, M.E.
Depression in a primary care clinic: the prevalence and impact of an unrecognized disorder (55) 1
Mellsop, G.W., see Blair-West, G.W. (55) 171
Mendelson, T., see Lynch, T.R. (55) 159
Mendlewicz, J., Souery, D. and Rivelli, S.K.
Short-term and long-term treatment for bipolar patients: beyond the guidelines (55) 79
Mills, M., see Steiner, M. (55) 245
Molinar, R., see Kelly, J.P. (55) 231
Morriss, R.K., Ahmed, M., Wearden, A.J., Mullis, R., Strickland, P., Appleby, L., Campbell, I.T. and Pearson, D.
The role of depression in pain, psychophysiological syndromes and medically unexplained symptoms associated with chronic fatigue syndrome (55) 143
Mullis, R., see Morriss, R.K. (55) 143
Mulroy, R., see Cannon, B. (55) 45

Nicolau, G., see Kelly, J.P. (55) 231
Nierenberg, A.A., see Cannon, B. (55) 45
Noble, J., see Kelly, J.P. (55) 231

Otto, M.W., see Cannon, B. (55) 45
Otto, M.W., see Jain, U. (55) 51

Parikh, S.V., Vincent, J.B. and Kennedy, J.L.
Clinical characteristics of bipolar disorder subjects with large CAG/CTG repeat DNA (55) 221
Patelis Siotis, I., see Young, L.T. (55) 73
Pearson, D., see Morriss, R.K. (55) 143
Prais, V., see Abou-Saleh, M.T. (55) 115

Quitkin, F., see Amsterdam, J. (55) 11

Räsänen, P., Hakko, H., Jokelainen, J. and Tiihonen, J.
Outcome of different types of long-term antidepressant treatments: a 3-year follow-up study of 14 182 patients (55) 67
Reboussin, B., see McCall, W.V. (55) 107
Rector, N.A., see Bagby, R.M. (55) 225
Redmond, A., see Kelly, J.P. (55) 231
Reimherr, F., see Amsterdam, J. (55) 11
Rivelli, S.K., see Mendlewicz, J. (55) 79
Robb, J.C., see Young, L.T. (55) 73
Roberts, J., see Steiner, M. (55) 245
Robins, C.J., see Lynch, T.R. (55) 159
Rosenbaum, J., see Amsterdam, J. (55) 11
Rosenbaum, J.F., see Cannon, B. (55) 45
Rush, A.J., see Klein, D.N. (55) 149

Sabbe, B., Hulstijn, W., van Hoof, J., Tuynman-Qua, H.G. and Zitman, F.

Retardation in depression: assessment by means of simple motor tasks (55) 39
Sachs, G.S., see Jain, U. (55) 51
Schaffer, C.B. and Schaffer, L.C.
Open maintenance treatment of bipolar disorder spectrum patients who responded to gabapentin augmentation in the acute phase of treatment (55) 237
Schaffer, L.C., see Schaffer, C.B. (55) 237
Schatzberg, A.F., see Klein, D.N. (55) 149
Segal, Z.V., see Bagby, R.M. (55) 225
Sharma, V., see Whitney, D.K. (55) 99
Smith, C., see Klein, D.N. (55) 149
Souery, D., see Mendlewicz, J. (55) 79
Stein, M.B., see McQuaid, J.R. (55) 1
Steiner, M., Bell, B., Browne, G., Roberts, J., Gafni, A., Byrne, C., Dunn, E., Chalkin, L., Kraemer, J., Mills, M. and Wallik, D.
Erratum to "Prevalence of dysthymic disorder in primary care". [J. Affect. Disord. 54 (1999) 303] (55) 245
Strickland, P., see Morriss, R.K. (55) 143
Sverdlov, L., see Kelly, J.P. (55) 231

Tack, P., see Katona, C. (55) 203
Thase, M.E., see Klein, D.N. (55) 149
Tiihonen, J., see Räsänen, P. (55) 67
Toupin, J., see Hodgins, S. (55) 187
Tunalı, D., see Yazıcı, O. (55) 133
Turan, N., see Yazıcı, O. (55) 133
Tuynman-Qua, H.G., see Sabbe, B. (55) 39

Üçok, A., see Yazıcı, O. (55) 133

van Hoof, J., see Sabbe, B. (55) 39
Vázquez, F.L. and Becoña, E.
Depression and smoking in a smoking cessation programme (55) 125
Versiani, M., see Katona, C. (55) 203
Vincent, J.B., see Parikh, S.V. (55) 221

Wallik, D., see Steiner, M. (55) 245
Wat, K.H.Y., see Wong, S.S.L. (55) 241
Wearden, A.J., see Morriss, R.K. (55) 143
Whitney, D.K., Sharma, V. and Kueneman, K.
Seasonality of manic depressive illness in Canada (55) 99
Williams, S., see Jones, R. (55) 55
Woelk, H., see Katona, C. (55) 203
Wong, S.S.L., Lee, S. and Wat, K.H.Y.
A preliminary communication of an insight scale in the assessment of lithium non-adherence among Chinese patients in Hong Kong (55) 241

Yates, W.R., see Jones, R. (55) 55
Yazıcı, O., Kora, K., Üçok, A., Tunalı, D. and Turan, N.
Predictors of lithium prophylaxis in bipolar patients (55) 133
Young, L.T., Robb, J.C., Hasey, G.M., MacQueen, G.M., Patelis Siotis, I., Marriott, M. and T. Joffe, R.
Gabapentin as an adjunctive treatment in bipolar disorder (55) 73

Zhou, M., see Jones, R. (55) 55
Zitman, F., see Sabbe, B. (55) 39

ELSEVIER

Journal of Affective Disorders 55 (1999) 251–253

JOURNAL OF AFFECTIVE DISORDERS

www.elsevier.com/locate/jad

Subject index

Adjustment disorder; SF-36; Treatment outcome **55,** 55

Affective disorders; Expression measurement; Emotion categories; Parkinson's disease **55,** 179

Affective disorders; Criminal activities; Substance use; Schizophrenia **55,** 187

Affective spectrum; Depressive personality; Dysthymia **55,** 19

Affective state; Age; Gender; Autoantibodies **55,** 29

Age; Gender; Autoantibodies; Affective state **55,** 29

Age; Major depression; Quality of life; Cross-sectional **55,** 107

Age of onset; Chronic depression; Chronic major depression; Early-onset; Late-onset **55,** 149

Agitation; Psychomotor disturbance; Retardation; Anxiety; Akathisia **55,** 89

Akathisia; Psychomotor disturbance; Agitation; Retardation; Anxiety **55,** 89

Anticipation; Bipolar disorder; Genetics; Trinucleotide repeats **55,** 221

Antidepressant; Efficacy; Treatment; Disability pension **55,** 67

Anxiety; Psychomotor disturbance; Agitation; Retardation; Akathisia **55,** 89

Atypical chest pain; Chronic fatigue syndrome; Depression; Somatisation; Irritable bowel syndrome; Fibromyalgia; Headache **55,** 143

Autoantibodies; Age; Gender; Affective state **55,** 29

Behavioural multicomponent programme; Depression; Smoking cessation; Dependence **55,** 125

Bipolar; Psychotic depression; Unipolar; Outpatients **55,** 63

Bipolar disorder; Depression; Mania; Recurrence; Prophylaxis; Mood stabilizers **55,** 79

Bipolar disorder; Lithium; Predictors; Prophylaxis **55,** 133

Bipolar disorder; Genetics; Anticipation; Trinucleotide repeats **55,** 221

Bipolar disorder; Gabapentin; Maintenance therapy **55,** 237

Chinese; Insight; Lithium; Non-adherence **55,** 241

Chronic depression; Chronic major depression; Age of onset; Early-onset; Late-onset **55,** 149

Chronic depression; Social functioning; Recovery **55,** 215

Chronic fatigue syndrome; Depression; Somatisation; Irritable bowel syndrome; Atypical chest pain; Fibromyalgia; Headache **55,** 143

Chronic major depression; Chronic depression; Age of onset; Early-onset; Late-onset **55,** 149

Cognitive slowing; Psychomotor retardation; Motor slowing; Depression; Movement analysis; Fine motor behaviour **55,** 39

Comorbidity; Depressive disorder; Major depression; Suicide; Youth suicide; Gender **55,** 171

Criminal activities; Substance use; Affective disorders; Schizophrenia **55,** 187

Cross-sectional; Major depression; Quality of life; Age **55,** 107

Dependence; Depression; Smoking cessation; Behavioural multicomponent programme **55,** 125

Depression; Primary care patients; Random sampling; Depressive disorders **55,** 1

Depression; Psychomotor retardation; Cognitive slowing; Motor slowing; Movement analysis; Fine motor behaviour **55,** 39

Depression; Hopelessness; Dysfunctional attitudes; Problem solving; Suicidal risk **55,** 45

Depression; Personality; Seasonal affective disorder; Five factor model; NEO **55,** 51

Depression; Bipolar disorder; Mania; Recurrence; Prophylaxis; Mood stabilizers **55,** 79

Depression; SPECT; 9m Tc-HMPAO **55,** 115

Depression; Smoking cessation; Behavioural multicomponent programme; Dependence **55,** 125

Depression; Chronic fatigue syndrome; Somatisation; Irritable bowel syndrome; Atypical chest pain; Fibromyalgia; Headache **55,** 143

Depression; Perceived social support; Elderly; Middle-age; Young adult **55,** 159

Depression; Platelets; Serotonin uptake **55,** 231

S0165-0327(99)00165-2

Depressive disorder; Major depression; Suicide; Youth suicide; Gender; Comorbidity **55,** 171

Depressive disorders; Depression; Primary care patients; Random sampling **55,** 1

Depressive personality; Dysthymia; Affective spectrum **55,** 19

Disability pension; Antidepressant; Efficacy; Treatment **55,** 67

Distraction; Major depression; Pharmacological treatment; Rumination **55,** 225

Dysfunctional attitudes; Hopelessness; Depression; Problem solving; Suicidal risk **55,** 45

Dysthymia; Depressive personality; Affective spectrum **55,** 19

Dysthymia; Reboxetine; Imipramine; Elderly; Major depressive disorder **55,** 203

Early-onset; Chronic depression; Chronic major depression; Age of onset; Late-onset **55,** 149

Efficacy; Antidepressant; Treatment; Disability pension **55,** 67

Elderly; Perceived social support; Middle-age; Young adult; Depression **55,** 159

Elderly; Reboxetine; Imipramine; Major depressive disorder; Dysthymia **55,** 203

Emotion categories; Affective disorders; Expression measurement; Parkinson's disease **55,** 179

Estrogen replacement major depression; Fluoxetine; Menopause **55,** 11

Expression measurement; Affective disorders; Emotion categories; Parkinson's disease **55,** 179

Fibromyalgia; Chronic fatigue syndrome; Depression; Somatisation; Irritable bowel syndrome; Atypical chest pain; Headache **55,** 143

Fine motor behaviour; Psychomotor retardation; Cognitive slowing; Motor slowing; Depression; Movement analysis **55,** 39

Five factor model; Personality; Depression; Seasonal affective disorder; NEO **55,** 51

Fluoxetine; Menopause; Estrogen replacement major depression **55,** 11

Gabapentin; Bipolar disorder; Maintenance therapy **55,** 237

Gender; Age; Autoantibodies; Affective state **55,** 29

Gender; Depressive disorder; Major depression; Suicide; Youth suicide; Comorbidity **55,** 171

Gender differences; Seasonality; Manic depressive illness; Mixed state **55,** 99

Genetics; Bipolar disorder; Anticipation; Trinucleotide repeats **55,** 221

Headache; Chronic fatigue syndrome; Depression; Somatisation; Irritable bowel syndrome; Atypical chest pain; Fibromyalgia **55,** 143

Hopelessness; Depression; Dysfunctional attitudes; Problem solving; Suicidal risk **55,** 45

Imipramine; Reboxetine; Elderly; Major depressive disorder; Dysthymia **55,** 203

Insight; Lithium; Non-adherence; Chinese **55,** 241

Irritable bowel syndrome; Chronic fatigue syndrome; Depression; Somatisation; Atypical chest pain; Fibromyalgia; Headache **55,** 143

Late-onset; Chronic depression; Chronic major depression; Age of onset; Early-onset **55,** 149

Lithium; Bipolar disorder; Predictors; Prophylaxis **55,** 133

Lithium; Insight; Non-adherence; Chinese **55,** 241

99m Tc-HMPAO; Depression; SPECT **55,** 115

Maintenance therapy; Gabapentin; Bipolar disorder **55,** 237

Major depression; Quality of life; Age; Cross-sectional **55,** 107

Major depression; Depressive disorder; Suicide; Youth suicide; Gender; Comorbidity **55,** 171

Major depression; Distraction; Pharmacological treatment; Rumination **55,** 225

Major depressive disorder; Reboxetine; Imipramine; Elderly; Dysthymia **55,** 203

Mania; Bipolar disorder; Depression; Recurrence; Prophylaxis; Mood stabilizers **55,** 79

Manic depressive illness; Seasonality; Mixed state; Gender differences **55,** 99

Menopause; Fluoxetine; Estrogen replacement major depression **55,** 11

Middle-age; Perceived social support; Elderly; Young adult; Depression **55,** 159

Mixed state; Seasonality; Manic depressive illness; Gender differences **55,** 99

Mood stabilizers; Bipolar disorder; Depression; Mania; Recurrence; Prophylaxis **55,** 79

Motor slowing; Psychomotor retardation; Cognitive slowing; Depression; Movement analysis; Fine motor behaviour **55,** 39

Movement analysis; Psychomotor retardation; Cognitive slowing; Motor slowing; Depression; Fine motor behaviour **55,** 39

NEO; Personality; Depression; Seasonal affective disorder; Five factor model **55,** 51

Non-adherence; Insight; Lithium; Chinese **55,** 241

Outpatients; Psychotic depression; Bipolar; Unipolar **55,** 63

Parkinson's disease; Affective disorders; Expression measurement; Emotion categories **55,** 179

Perceived social support; Elderly; Middle-age; Young adult; Depression **55,** 159

Personality; Depression; Seasonal affective disorder; Five factor model; NEO **55,** 51

Pharmacological treatment; Distraction; Major depression; Rumination **55,** 225

Platelets; Depression; Serotonin uptake **55,** 231

Predictors; Bipolar disorder; Lithium; Prophylaxis **55,** 133

Primary care patients; Depression; Random sampling; Depressive disorders **55,** 1

Problem solving; Hopelessness; Depression; Dysfunctional attitudes; Suicidal risk **55,** 45

Prophylaxis; Bipolar disorder; Depression; Mania; Recurrence; Mood stabilizers **55,** 79

Prophylaxis; Bipolar disorder; Lithium; Predictors **55,** 133

Psychomotor disturbance; Agitation; Retardation; Anxiety; Akathisia **55,** 89

Psychomotor retardation; Cognitive slowing; Motor slowing; Depression; Movement analysis; Fine motor behaviour **55,** 39

Psychotic depression; Bipolar; Unipolar; Outpatients **55,** 63

Quality of life; Major depression; Age; Cross-sectional **55,** 107

Random sampling; Depression; Primary care patients; Depressive disorders **55,** 1

Reboxetine; Imipramine; Elderly; Major depressive disorder; Dysthymia **55,** 203

Recovery; Social functioning; Chronic depression **55,** 215

Recurrence; Bipolar disorder; Depression; Mania; Prophylaxis; Mood stabilizers **55,** 79

Retardation; Psychomotor disturbance; Agitation; Anxiety; Akathisia **55,** 89

Rumination; Distraction; Major depression; Pharmacological treatment **55,** 225

Schizophrenia; Criminal activities; Substance use; Affective disorders **55,** 187

Seasonal affective disorder; Personality; Depression; Five factor model; NEO **55,** 51

Seasonality; Manic depressive illness; Mixed state; Gender differences **55,** 99

Serotonin uptake; Depression; Platelets **55,** 231

SF-36; Adjustment disorder; Treatment outcome **55,** 55

Smoking cessation; Depression; Behavioural multicomponent programme; Dependence **55,** 125

Social functioning; Chronic depression; Recovery **55,** 215

Somatisation; Chronic fatigue syndrome; Depression; Irritable bowel syndrome; Atypical chest pain; Fibromyalgia; Headache **55,** 143

SPECT; Depression; 9m Tc-HMPAO **55,** 115

Substance use; Criminal activities; Affective disorders; Schizophrenia **55,** 187

Suicidal risk; Hopelessness; Depression; Dysfunctional attitudes; Problem solving **55,** 45

Suicide; Depressive disorder; Major depression; Youth suicide; Gender; Comorbidity **55,** 171

Treatment; Antidepressant; Efficacy; Disability pension **55,** 67

Treatment outcome; SF-36; Adjustment disorder **55,** 55

Trinucleotide repeats; Bipolar disorder; Genetics; Anticipation **55,** 221

Unipolar; Psychotic depression; Bipolar; Outpatients **55,** 63

Young adult; Perceived social support; Elderly; Middle-age; Depression **55,** 159

Youth suicide; Depressive disorder; Major depression; Suicide; Gender; Comorbidity **55,** 171